# 2025 Ubbink. All rights reserved. I Content is subject to change without notice. Availability and configurations may differ per country, I UB-26-11-2025-UK-EN

# Air Excellent distribution box DB208V125-200 8 connections



Article number: 188961


Build smart.


## **Product introduction**


The Air Excellent DB208 is designed to radially distribute air from a ventilation unit, minimizing system pressure drop, fan energy use, and sound levels. It is compatible with Aerfoam insulated ducts and features 8 Air Excellent AE34C duct connections. With DBOX adaptors, it can connect to any duct diameter within the Air Excellent range. The compact box is ideal for small spaces, it can be installed on ceilings, walls, or floors.

- Includes stepped adaptor, 8 internal air restrictor rings, and 4 covers for unused connections
- Ideal for optimizing space in small areas
- Made of durable, rust-free, lightweight plastic (PP) for easy handling and installation
- Mechanical connections to minimize pressure loss, fan energy consumption, and sound levels

# **Product dimensions**









# © 2025 Ubbink. All rights reserved.) Content is subject to change without notice. Availability and configurations may differ per country. I UB-26-11-2025-UK-EN

# Air Excellent distribution box DB208V125-200 8 connections



Article number: 188961

# **Technical specifications**

Specifications	
Technical	
Colour	Grey
Anti static	lacksquare
Antimicrobial	$\checkmark$
Performance	
Temperature resistance (min.)	-20 °C
Temperature resistance (max.)	60 °C
Reaction to fire: Euro class	E
Dimensions	
Length gross	318 mm
Width	318 mm
Height	257 mm
Net weight	1.487 kg

# Air Excellent distribution box DB208V125-200 8 connections



Article number: 188961

# **Technical details**

Pressure Loss Dbox	
Δp (Pressure Loss) [Pa]	
1,0	
1,5	
2,0	
3,0	
5,0	
6,5	
8,0	
9,0	
10,0	
-	
-	

Figures are based on measurements by the TÜV SÜD.