


Air Excellent 200 Series DBOX DB212H

Article number: 188633


Product introduction

Air Excellent distribution box to which all Air Excellent duct types can be connected.

- Modular manifolds, which can be used with all 6 duct types
- Semi-rigid plastic ducts on a roll and airtight mechanical connections, which are extremely easy to install
- Low system pressure loss due to radial design
- Airtight (class D/ATC 2 up +/- 2000 Pa) thanks to mechanical connections, which minimises fan energy use and sound production
- TÜV SÜD and ISEGA tested and certified, REACH compliant



Product dimensions



Technical specifications

Specifications	
Technical	
Colour	Grey
Material	PP
Anti static	<input checked="" type="checkbox"/>
Antimicrobial	<input checked="" type="checkbox"/>

Air Excellent 200 Series DBOX DB212H



Article number: 188633

Technical specifications (continuation)

Performance	
Temperature resistance (min.)	-20 °C
Temperature resistance (max.)	60 °C
Reaction to fire: Euro class	E
Dimensions	
Length gross	598 mm
Width	318 mm
Height	268 mm
Net weight	1.53 kg

Air Excellent 200 Series DBOX DB212H

Article number: 188633

Technical details

Pressure Loss Dbox	
Qv (Volume) [m³/h]	Δp (Pressure Loss) [Pa]
50	1,0
75	2,0
100	3,0
125	4,5
150	7,0
175	9,0
200	12,0
225	14,0
250	16,0
300	23,0
350	28,0

Figures are based on measurements by the TÜV SÜD.