

CONFORMITEITSVERKLARING

01/09/2025

MULTIVAP PLUS


The manufacturer Ubbink BV, Verhuellweg 9, 6984 AA Doesburg, Netherlands, hereby declares that the above-mentioned film complies with the provisions of the following standards and the relevant Community harmonisation legislation:

- **1. Unique identification code of the product-type:**MULTIVAP PLUS
- **2. Intended uses:** For use as vapour permeable underlayment for roofing and as wind insulation
- **3. Manufacturer:** Ubbink BV, Verhuellweg 9, 6984 AA Doesburg, Netherlands
- **4. System of assessment and verification of constancy of performance of the construction product:** 3
- **5. Harmonised standard:** EN 13859-1:2010, EN 13859-2:2010

6. Declared performances:

Essential characteristics		Functional properties	Unit	Harmonized Standard
Reaction to fire		Class E	-	EN 13859-1:2010 EN 13859- 2: 2010
Resistance to water penetration		Class W1	-	
Tensile strength in longitudinal direction		350 (+40;-40)	N/50mm	
Tensile strength in transverse direction		210 (+40;-40)	N/50mm	
Elongation in longitudinal direction		80 (+20;-20)	%	
Elongation in transverse direction		90 (+40;-40)	%	
Tear resistance in longitudinal direction		180 (+45 ; -45)	N	
Tear resistance in transverse direction		180 (+45;-45)	N	
Flexibility at low temperatures		-30	°C	
After artificial ageing	Resistance to water penetration	Class W1	-	
	Tensile strength in longitudinal direction	245 (+30;-30)	N/50mm	
	Tensile strength in transverse direction	150 (+30;-30)	N/50mm	
	Elongation in longitudinal direction	60 (+20;-20)	%	
	Elongation in transverse direction	70 (+30;-30)	%	
Water vapour transmission propertie (Sd)		0,02 (+0,03;-0,01)	m	EN 13859-2: 2010

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the so/e responsibility of the manufacturer identified above.



Carin Hendriksen
Managing Director