© 2025 Ubbink. All rights reserved.1 Content is subject to change without notice. Availability and configurations may differ per country.1 UB-02-04-2025-UK-EN

Contego Wall Terminal 160mm Black Grey



Build smart.


Article number: 188843


Product introduction

The Contego Wall Terminal is suitable for central mechanical ventilation, handling both supply and extract air via Aerfoam insulated ducts. It prevents water drips, minimizes dirt build-up, and has a bottom grille to block pests. Made of durable, UV-resistant PP, its black-grey matte finish blends with walls. Installation is quick, with a wall-mounted base for easy access and a cap that clips on top.

- Suitable for air supply or air extract
- Quick and easy installation allowing for easy access
- Made from durable and UV-resistant PP material
- Designed to prevent water dripping down the wall, dirt build-up around the terminal and pests from entering
- Adapts to all types of wall finishes thanks to its modern, discreet design

Product dimensions











© 2025 Ubbink. All rights reserved.1 Content is subject to change without notice. Availability and configurations may differ per country. I UB-02-04-2025-UK-EN

Contego Wall Terminal 160mm Black Grey



Article number: 188843

Technical specifications

Specifications	
Technical	
Colour	Anthracite
Colour indication	RAL 7021
Material	PP
Diameter	160 mm
Airflow direction	Supply / extract
Dimensions	
Length gross	266 mm
Width	343 mm
Height	282 mm
Net weight	0.694 kg

ıK t

Contego Wall Terminal 160mm Black Grey

Ubbink
Build smart.

Article number: 188843

Technical details

	Air Supply		Air Extract	
Zeta [-]	1,05		1,53	
Qv [m³/h]	v [m/s]	Δp [Pa]	v [m/s]	Δp [Pa]
0	0,0	0,0	0,0	0,0
50	0,7	0,3	0,7	0,4
100	1,4	1,2	1,4	1,7
150	2,1	2,7	2,1	3,9
200	2,8	4,7	2,8	6,9
250	3,5	7,4	3,5	10,8
300	4,1	10,6	4,1	15,5
350	4,8	14,5	4,8	21,1
400	5,5	18,9	5,5	27,6