

Air Excellent AE48C DBOX Connection Set



Article number: 189036

Product overview

The AE48C DBOX Connection Set seamlessly connects a DBOX and an AE48C duct to a valve adaptor, ensuring a quick, secure and tool-free installation. Includes two AE48C Click-Seal Rings.

- Airtight connections for reliable system performance
- Low pressure loss to reduce fan energy use
- Quick, tool-free installation
- Lightweight design for easy handling
- TÜV SÜD-certified for quality and safety

Product dimensions



Technical specifications

Technical	
Colour	Green
Anti static	☒
Antimicrobial	☒
Performance	
Temperature resistance (min.)	-20 °C
Temperature resistance (max.)	60 °C

Air Excellent AE48C DBOX Connection Set

Article number: 189036

Technical specifications (continuation)

Performance	
Reaction to fire: Euro class	E
Zeta supply 1 connection	0.7
Zeta extract 1 connection	0.9
Dimensions	
Length gross	122 mm
Width	101 mm
Height	101 mm
Net weight	0.096 kg

Air Excellent AE48C DBOX Connection Set

Article number: 189036

Características técnicas

Air Excellent DBOX				
Adaptador (DBX)	Potencia	Entrada (dB)	Potencia	Entrada (dB)
Conexión	1	1	1	1
dB (dB)	dB (dB)	dB (dB)	dB (dB)	dB (dB)
10	10.0	10.0	10.0	10.0
15	15.0	15.0	15.0	15.0
20	20.0	20.0	20.0	20.0
25	25.0	25.0	25.0	25.0
30	30.0	30.0	30.0	30.0
35	35.0	35.0	35.0	35.0
40	40.0	40.0	40.0	40.0
45	45.0	45.0	45.0	45.0
50	50.0	50.0	50.0	50.0
55	55.0	55.0	55.0	55.0
60	60.0	60.0	60.0	60.0
65	65.0	65.0	65.0	65.0
70	70.0	70.0	70.0	70.0
75	75.0	75.0	75.0	75.0
80	80.0	80.0	80.0	80.0
85	85.0	85.0	85.0	85.0
90	90.0	90.0	90.0	90.0
95	95.0	95.0	95.0	95.0
100	100.0	100.0	100.0	100.0




Diagrama de conexión de la línea de transmisión de potencia